

International Journal of Advanced Research in Computer Science

REVIEW ARTICAL

Available Online at www.ijarcs.info

An Analysis of the Properties of Various Interconnection Networks

K. Karthik Dept .of CSE BVRIT, Narsapur Karthik.kovuri@bvrit.ac.in Sudarson Jena Dept. of IT GITAM University sudarsonjena@gitam.edu

T. Venu Gopal Dept. of CSE JNTUHCEJ, Kondagattu t_vgopal@rediffmail.com

Abstract: In this paper, different types of interconnection networks are investigated and some of their properties are analyzed to summarize the differences in their network cost. The various properties of the interconnection networks such as connectivity, routing algorithm, diameter and broadcasting technology are investigated. This analysis gives a framework for the construction of more efficient interconnection networks in future.

Key words: Interconnection Networks, Network cost, Routing Algorithms, Diameter, Broad casting Technology

I. INTRODUCTION

In parallel computing, to achieve parallelism various techniques can be employed. One technique of achieving parallelism is using MIMD (Multiple Instruction Multiple Data stream). Machines using MIMD have a number of processor that functions asynchronously and independently. At any time, different processors may be executing different instructions on different pieces of data. MIMD architectures may be used in a number of application areas such as computer aided design/computer -aided manufacturing, simulation, modeling, and as communication switches. MIMD machines can be of either shared memory or distributed memory categories. These classifications are based on how MIMD processors access memory. Shared memory machines may be of the bus-based, extended, or hierarchical type. Distributed memory machines may have hypercube or mesh interconnection schemes.

An interconnection network system which can be used to link multicomputer processors together greatly influences performance and scalability of the whole system. Based on the number of nodes, Interconnection networks are classified into meshes $(n \times k)$, hypercube (2n) and star (n!), and network scales to evaluate interconnection networks are degree, connectivity, scalability, diameter, network cost [4-10].

In an interconnection network, degree related to hardware cost and diameter related to message passing time is correlated with each other. In general, as degree of an interconnection network is increased, diameter is decreased, which can increase throughput in the interconnection network, however, it increases hardware cost with the increased number of pins of the processor when a parallel computer is designed. An interconnection network with less degree reduces hardware cost but increases message passing time, which adversely affects latency or throughput of an interconnection network.

Network scales being typically used for comparative evaluation of an interconnection network due to the said characteristic include network cost [4-10] defined as degree x diameter of an interconnection network. By virtue of its merit of easily providing a communication network system required in applications of all kinds. Hypercube is node-symmetric and edge-symmetric, has a simple routing algorithm with maximal fault tolerance and a simple reflexive system, and also has a merit that it may be readily embedded with the proposed interconnection networks [11,12]. However, it involves weak points that network cost increases due to increase of degree with the increased number of nodes, and that a mean distance between diameter and node is not short as compared with degree. To improve such weak points, Reduced Hypercube[13] that reduced the number of edges of a hypercube interconnection network, Gaussian Hypercube[14], and Exchanged Hypercube[15] have been suggested, and in addition, Crossed Cube[5] that improved diameter of a hypercube interconnection network, Folded Hypercube[6], MRH[7], HFN[4], MRH[1] etc. have been proposed. Many interconnection networks that have been proposed until now demonstrated that they have superior network cost to hypercube by reducing just one network scale of degree or diameter of hypercube. Also, this paper demonstrates that network cost of MRH (n) is superior through comparative analysis of network cost between the hypercube-class interconnection networks and MRH (n).

This paper is composed as follows: Section 2 Different types of Hypercube interconnection networks, Section 3 analyzes the properties of interconnection networks, Section 4 Results and discussions and finally, conclusion is given.

II. TYPES OF INTERCONNECTION NETWORKS

We have different types of interconnection networks.

CONFERENCE PAPER

Some of them are given below:

- a. Hypercube Network.
- b. Folded Hypercube Network.
- c. Multiply Twisted Hypercube Network.
- d. Recursive Circulant Hypercube Network.
- e. Multiple Reduced Hypercube Network.
- f. Half Hypercube Network

A. Hypercube Network:

Hypercube system interconnection network contains four processors; a processor and a memory module are placed at each vertex of a square. The diameter of the system is the minimum number of steps it takes for one processor to send a message to the other processor that is the farthest away. So, for example, the diameter of a 2-cube is 1. In a hypercube system with eight processors and each processor and memory module being placed in the vertex of a cube, the diameter is 3. In general, a system that contains 2^N processors with each processor directly connected to N other processors, the diameter of the system is N. One disadvantage of a hypercube system is that it must be configured in powers of two, so a machine must be built that could potentially have many more processors than is really needed for the application.

Construction and different types of Hypercube are shown in Figure 1 [1].

Figure 1 shows below how to create a tesseract from a point.

Dimension -0: A point is a hypercube of dimension zero.

Dimension -1: If one moves this point one unit length, it will sweep out a line segment, which is a unit hypercube of dimension one.

Dimension –2: If one moves this line segment its length in a perpendicular direction from itself; it sweeps out a 2-dimensional square.

Dimension -3: If one moves the square one unit length in the direction perpendicular to the plane it lies on, it will generate a 3-dimensional cube.

Dimension -4: If one moves the cube one unit length into the fourth dimension, it generates a 4-dimensional unit hypercube (a unit tesseract).

This can be generalized to any number of dimensions. This process of sweeping out volumes can be formalized mathematically as a Minkowski sum: the *d*-dimensional hypercube is the Minkowski sum of *d* mutually perpendicular unit-length line segments, and is therefore an example of a zonotope. The 1 -skeleton of a hypercube is a hypercube graph.

In H(n), for degree 'n' and if number of nodes is 'n', diameter 'n', and network cost will be ' n^{2} '.

B. Folded Hypercube Network:

Folded Hypercube is an undirected graph formed from a hypercube graph by adding to it perfect matching edges that connects *opposite* pairs of hypercube vertices. The folded cube graph of order k (containing 2^{k-1} vertices) may be formed by adding edges between opposite pairs of vertices in a hypercube graph of order k - 1. (In a hypercube with 2^n vertices, a pair of vertices are *opposite* if the shortest path between them has length n.) It can, equivalently, be formed

from a hypercube graph (also) of order k, which has twice as many vertices, by identifying together (or contracting) every opposite pair of vertices. An order-k folded cube graph is k regular with 2^{k-1} vertices and $2^{k-2}k$ edges. The chromatic number of the order-k folded cube graph is two when k is even (that is, in this case, the graph is bipartite) and four when k is odd. The odd girth of a folded cube of odd order is k, so for odd k greater than three the folded cube graphs provide a class of triangle-free graphs with chromatic number four and arbitrarily large odd girth. As a distance- regular graph with odd girth k and diameter (k - 1)/2, the folded cubes of odd order are examples of generalized odd graphs [9]. When k is odd, the bipartite double cover of the order-k folded cube is the order-k cube from which it was formed.

Construction of Folded Hypercube is shown in Fig. 2. When k is even, the order-k cube is a double cover but not the *bipartite* double cover. In this case, the folded cube is itself already bipartite. Folded cube graphs inherit from their hypercube sub-graphs the property of having a Hamiltonian cycle, and from the hypercubes that double cover them the property of being a distance-transitive graph. When k is odd, the order-k folded cube contains as a sub-graph a complete binary tree with $2^k - 1$ nodes. However, when k is even, this is not possible, because in this case the folded cube is a bipartite graph with equal numbers of vertices on each side of the bipartition, very different from the nearly two-to-one ratio for the bipartition of a complete binary tree.

C. Multiply Twisted Cube Network:

An n -dimensional multiply-twisted hypercube Q_n has the same structural complexity as n-dimensional hypercube Q. That is, it has the same number of nodes and links, and each node has the same degree n, as Q_n . However, previous investigations indicate that due to some of its properties better than hypercube, the multiply-twisted hypercube is a good alternative for constructing multiprocessor systems. It is known that hypercube machines can simulate many multiprocessor systems based on other topologies such as trees, meshes, linear arrays and rings.

An n -dimensional multiply twisted cube has the same structural complexity as n -dimensional hypercube. That is they have the same number of nodes and links, and each node has the same degree n. However, previous investigations indicate that the multiply-twisted hypercube has some properties better than that of hypercube. The multiply-twisted hypercube is recursively defined, and it has a relative structure. It has observed that the diameter of Q is [n+1]/2which is about half of the diameter n of the n-dimensional hypercube Q. In addition, the average distance between nodes in Q is about 3/4 of the average distance between nodes in Q.

In conjunction with the regularity, these properties can be used to design simple data communication algorithms for Q_n that are more efficient than those for conventional hypercube Q. It is known that the n-dimensional hypercube can be embedded onto the n-dimensional hypercube, and vice-versa, with dilation and congestion. Also, many efficient hypercube algorithms can be directly modified to fit the twistedhypercube without simulations by embedding so that undesirable overheads in such simulations can be avoided. It has been conjectured that the (2'' - 1)-node complete binary tree is a sub-graph of n -dimensional multiply-twisted hypercube (which has 2" nodes); but this is not true for the ndimensional hypercube. Since there is more and more evidence that multiply-twisted hypercube is a good alternative for the hypercube, it is important to further investigate the combinatorial structure and computational aspect of this architecture [1].

D. Recursive Circulant Hypercube Network:

Recursive Circulant Hypercube Network considered in this paper is the recursive circulant graph G(N, d) proposed by Park and Chwa [19]

Definition: For two positive integers N and d, the recursive circulant graph G(N, d) has the vertex set $V = \{0, 1, \ldots, N-1\}$, and two vertices u and v are adjacent if and only if $u-v = \pm d^i \pmod{N}$ for some $0 \le i \le [\log_d N] - 1$. The family of recursive circulant graphs is proposed as a network topology for multicomputer systems [17]. Recursive circulant graph G(N, d) is known to have a recursive structure for $N = d^m$, $m \ge 1$ and $N = cd^m$, $2 \le c < d$, $m \ge 0$ [18].

Induced by vertices $\{v \mid v \equiv i \pmod{d}\}$. Then, for very 0 $\leq j < d, G_j (cd^m, d)$ is isomorphic to $G(cd^{m-1}, d)$, that is, $G(cd^m, d)$ d) contains d disjoint copies of (cd^{m-1}, d) . Furthermore, the edges not contained in any G_i form a Hamiltonian cycle. We call the Hamiltonian cycle with the edges of the form {i, i + 1}, i = 0, 1, . cd^{m-1} , the basic cycle. Hence, $G(cd^m, d)$ is constructed recursively from d copies of $G(cd^{m-1}, d)$ and the basic cycle. $G(cd^0, d)$, $c \ge 3$, and G(d, d) are isomorphic to the cycle of length c and d, respectively. For c = 2, $G(2d^0, d)$ is K2. Cycles in networks are useful in applications such as embedding linear arrays and rings. We call a graph G with n vertices pancyclic if G contains cycles of every length k, $3 \le k \le n$. Since bipartite graphs have no odd cycles, a bipartite graph G is called bipancyclic if G has cycles of every even length. It is easy to see that n-dimensional hypercube is bipancyclic for n≥2. Pancyclic properties on cube-connected cycles, arrangement graphs and butterfly graphs have been investigated. It is known that G(2m, 4), a special case of recursive circulant graphs, is pancyclic [18]. We study in this paper the existence of cycles of given length in G(cd^m, d), and prove a necessary and sufficient condition for G(cd^m, d) to be pancyclic or bipancyclic [19].

E. Multiple Reduced Hypercube Network:

According to [1], the nodes of a Multiple Reduced Hypercube MRH(n) are expressed as n bit strings $s_n s_{n-1}...s_1...s_2$ s_1 consisting of binary numbers $\{0,1\}$ ($1 \le i \le n$). The edges of MRH(n) are expressed in three forms according to connection method, they are called hypercube edge, exchange edge, and complement edge, respectively, and are indicated as h-edge, x-edge, and c-edge, respectively ($[n / 2]+1 \le h \le n$). Each edge is defined into when n is an even number and n is an odd number.

Case 1: When n is an even number, it is assumed that for edge definition, $s_n s_{n-1} \dots s_{i+1}$ is α and a bit string s_i

...s₂ s₁ is β in the bit string of a node U(=s_n s_{n-1} ...s_i

... $s_2 s_1$). Therefore the bit string of a node U(= $s_n s_{n-1}$)

 $..s_i ...s_2 s_1$) can be simply expressed as $\alpha\beta$. Assuming that the

nodes U and V are adjacent with each other, adjacent edges are as follows.

- a) Hypercube edge : This edge indicates an edge linking two nodes $U(=s_n \ s_{n-1} \dots s_i \dots s_2 \ s_1)$ and $V(=s_n \ s_{n-1} \dots s_{i+1} \ s_i \dots s_2 \ s_1)$ of MRH(n) $(n/2 \le j \le n)$.
- b) **Exchange edge:** This edge indicates an edge linking two nodes $U(=\alpha\beta)$ and $V(=\beta\alpha)$ of MRH(n) if $\alpha\neq\beta$ in the bit string of the nodes.
- c) Complement edge : This edge indicates an edge linking two nodes $U(=s_n \alpha'\beta')$ and $V(=s_n \alpha'\beta')$ of MRH(n) if $\alpha \neq \beta$ in the bit string of the nodes.

Case 2: When n is an odd number. It is assumed that for edge definition, $s_{n-1}...s_i+1$ is α ' and a bit string

sn si...s₂s₁ is β ' in the bit string of a node U(=s_{n1}...s₁...s₂ s₁). Then the n u ther of bit string s of α ' and β ' is each n /2. Therefore a node U can be indicated as U (=s_n $\alpha'\beta'$)

- a) Hypercube edge: This edge indicates an edge linking two nodes U (=snsn-1....sj...si+1si...s2s1) and V(= $s_n s_{n-1}...s_j ...s_{i+1} s_{i...}s_2 s_1$) of MRH(n)
- b) Exchange edge: This edge indicates an edge linking two nodes $U(=s_n \alpha'\beta')$ and $V(=s_n \beta'\alpha')$ of MRH(n) in the bit string of a node.
- c) Complement edge: This edge indicates an edge linking two nodes $U(=s_n \alpha'\beta')$ and $V(=s_n \alpha'\beta')$ of MRH(n) if $\alpha'=\beta'$ in the bit string of a node.

Node (edge) connectivity is the least number of nodes (edges) that are required to be eliminated to divide an interconnection network into two or more parts without common nodes. Even if k-1 or less nodes are eliminated from a given interconnection network, an interconnection network is linked, and once the interconnection network is separated when proper k nodes are eliminated, connectivity of the interconnection network is called k. An interconnection network having the same node connectivity and degree means that it has maximal fault tolerance [2]. It is known that node connectivity, edge connectivity, and degree of an interconnection network G are called k(G), $\lambda(G)$, and d(G), respectively, and $k(G)=\lambda(G)=d(G)$ [2]. This paper demonstrates that node connectivity and degree of MRH(n) are same in order to prove that MRH(n) has maximal fault tolerance, and based on the result, MRH(n) has maximal fault tolerance.

F. Half Hypercube Network:

A half hypercube network is an interconnection network which has same number of nodes as hypercube but reduces the degree by approximately half.

The hypercube Q_n (n>=2) is defined as an n-dimensional binary cube where the nodes of Q_n are all binary tuples. Two nodes of Q_n are adjacent to each other if and only if their corresponding n tuples differ in one bit at exactly one position. Q_n is an n regular graph with 2^n nodes and its diameter is n [20].



Figure 1. Construction and Different types of Hypercube



Figure 2. Different types Folded Hypercubes



Complement Edge

Figure 3. Multiple Reduced Hypercube (MRH(n))

III. ANALYSIS OF PROPERTIES OF INTERCONNECTION NETWORKS

Assuming that in MRH(n), a certain node of the initial node $U(=u_nu_{n-1}...u_{i-1}u_{i-1$ node connectivity and degree [1]. It means that it has maximal fault tolerance [2]. It is known that node connectivity, edge connectivity, and degree of an interconnection network G are called k(G). λ(G). and d(G), respectively, and $k(G)=\lambda(G)=d(G)[1]$. In paper [1], it is considered that node connectivity and degree of MRH(n) are same in order to prove that MRH(n) has maximal fault tolerance, and based on the result of the theorem, it is proved that MRH(n) has maximal fault tolerance.

IV. RESULTS AND DISCUSSIONS

Network cost is indicated by a multiple of diameter and degree. Diameter indicates a maximum distance of the shortest route linking two nodes.



Figure 5. Hypercube Class Comparative for Node vs Network Cost

In the above figures 4 & 5, it gives the analysis for network cots and network diameter interconnection network as a factor to determine the complexity of routing control logic, which is a reference to measure the cost of hardware used to implement an interconnection network and degree is the number of pins composing the processor when a parallel computer is designed with a Therefore network cost is the most critical factor to measure an interconnection network.

Table1. Hypercube variants vs Modified Hypercubes Interconnection Network Diameter and Network Costs

Interconnection Network	Nodes	Degree	Diameter	Network Cost
Hypercube Network (H(n))	2 ⁿ	n	n	n ²
Folded Hypercube (FH(n))	2 ⁿ	n	[n/2]	≈n²/2
Multiply Twisted Cube (MTC)	2 ⁿ	n	[(n+1)/2]	≈n²/2
Recursive Circulant (RC)	2 ⁿ	n	[3n/4]	≈3n²/4
Multiple Reduced Hypercube (MRH(n))	2n	n	[n/2+1]	≈n²/3
Half Hypercube	2 ⁿ	n	[n/2]	$\approx n^2/2$

MRH(n) gives best performance then other networks, which can be an effective reference to measure message passing as a lower limit of latency required to disseminate information in the whole interconnection network.



Figure 4. Hypercube Class Comparative for Node vs Network Diameter

MRH(n) based on the results of previous studies is suitable for implementation of a large scale system for parallel processing, it is proven to be superior to the previously proposed hypercube classes of Hypercube H(n), Folded Hypercube FH(n), Multiply twisted Cube, and Recursive Circulant class in terms of network cost as mentioned in above discussion and Table 1. For analysis of network cost for an interconnection network, cases of the same number of nodes are compared.

V. CONCLUSION

In this paper, different types of interconnection networks such as Hypercube H(n), Folded Hypercube FH(n), Multiply twisted Cube, and Recursive Circulant are investigated and some of their properties are analyzed to summarize the differences in their network cost. It has been observed that MRH(n) is a more superior interconnection network than the other mentioned hypercube networks through comparative analysis of network cost if hypercube classes have the same number of nodes. MRH(n) is a more superior interconnection network through comparative analysis of network cost if hypercube classes have the same number of nodes.

VI. REFERENCES

- [1] N S Murthy Sharma, Karthik kovuri, komira Yakaiah, B Srinivas: Analysis of multiple reduced hypercube interconnection network properties of both diameter and network cost. International Journal of Computer Applications in Engineering, Technology and Sciences.
- [2] Akers, S. B., Krishnamurthy, B.: A Group-Theoretic Model for Symmetric Interconnection Network. IEEE. Trans. Computers 38(4), 555{565 (1989)
- [3] Doty, K. W.: New Designs for Dense Processor Interconnection Networks. IEEE.Trans. Computers 33(5), 447{450 (1984)
- [4] Duh, D. R., Chen, G. H., Fang, J. F.: Algorithms and Properties of a New Two-Level Network with Folded Hypercubes as Basic Modules. IEEE. Trans. Parallel Distributed syst. 6(7), 714{723 (1995)
- [5] El-Amawy, A., Lati⁻, S.: Properties and Performance of Folded Hypercubes. IEEE.Trans. Parallel Distributed syst. 2(1), 31{42 (1991)
- [6] Feng, T.-Y.: A Survey of Interconnection Networks. IEEE. Trans. Computers14(12), 12{27 (1981)
- [7] Ghose, K., Desai, K. R.: Hierarchical Cubic Networks. IEEE. Trans. Parallel Distributed syst. 6(4), 427{436 (1995)

- [8] Gupta, A. K., Hambrusch, S. E.: Multiple Network Embeddings into Hypercubes.J. Parallel and Distributed Computing 19, 73{82 (1993)
- [9] Harary, F., Hayes, J. P., Wu, H.-J.: A Survey of the Theory of Hypercube Graphs.Comput. Math. Appl. 15,
- [10] Leighton, F. T.: Introduction to Parallel Algorithms and Architectures : Arrays, Trees, Hypercubes. Morgan Kaufmann, San Francisco (1992)
- [11] Mendia, V. E., Sarkar, D.: Optimal Broadcasting on the Star Graph. IEEE. Trans.Parallel Distributed syst. 3(4), 389{396 (1992)
- [12] Park, J.-H.: Circulant Graphs and Their Application to Communication Networks.Ph.D. Thesis, Dept. of Computer Science, KAIST, Taejon Korea (1992)
- [13] Reed, D. A., Fujimoth, R. M.: Multicomputer Networks : Message-Based Parallel Processing. MIT Press (1987)
- [14] Vaidya, A. S., Rao, P. S. N., Shankar, S. R.: A Class of Hypercube-like Networks. In: Proc. of the 5th IEEE Symposium on Parallel and Distributed Processing, pp.800{803 (1993)
- [15] Wu, A. Y.: Embedding of Tree Networks into Hypercubes. J. Parallel and Dis-tributed Computing 2, 238{249 (1985)
- [16] Yun, S.-K., Park, K.-H.: Comments on 'Hierarchical Cubic Networks'. IEEE. Trans. Parallel Distributed syst. 9(4), 410{414 (1998)
- [17] Tucker, L. W., Robertson, G. G Architecture and Application of the Connection Machine. IEEE. Trans. Computers 21(8), 26{38 (1988)
- [18] J.-H. Park, K.-Y. Chwa, Recursive circulant: A new topology for multicomputer networks, in: Proc. Internat. Symp. Parallel Architectures, Algorithms and Networks (ISPAN'94), Kanazawa, Japan, December 1994, pp. 73–80.
- [19] J.-H. Park, K.-Y. Chwa, Recursive circulants and their embeddings among hypercubes, Theoret. Comput. Sci. 244 (2000) 35–62.
- [20] J S Kim, Mi-Hye Kim and Hyeong Ok lee Analysis and design of a Half Hypercube Interconnection Network